Medicinal plants recorded from Mizoram, N.E. India.

Status:

C-cultivated,, CR-critically endangered DD-data deficient, E-endemic to NE India, EN-endangered, EW-extinct in wild, I-invasive, IN-introduced & naturalized, LR-lower risk/conservation dependent, NT-near threatened (includes lower risk/near threatened), VU- vulnerable, W-weedy. Parts Used: A-aerial parts, B-bark, Br-branches, Bu-buds, Ch-charcoal, F-flowers, Fr-fruit, G-gum, IS-immature stems, L-leaves, La-latex, P-pulp of fruit, Pe-petioles, Pi-pith, R-roots, Re-resin, Rh-rhizomes, Rs-root stock, S-seeds, Sa-sap, SC-seed coat, Sh-shoots, So-seed oil, Sp-spadix & fruiting body, St-stem, T-tubers, W-wood, WP-whole plants. Species marked in red have uses from Mizoram that are published here for the first time.

Scientific name	Family	Local name	Habit	Status	Part Used
Abelmoschus moschatus Medik.	Malvaceae	Uichhuhlo	Herb	LR	L,R,S
Boiled R & L are administered for the rethe pus out. S are ground to powder &			•	nds/ulcers	s to suck
Acacia pennata (L.) Willd.	Fabaceae	Khangsen	Tree	DD	B,L
B is an antidote for snake poison, & use	ed in bronchitis & asth	nma. L are used for sto	mach ache & b	leeding gu	ıms.
Acer laevigatum Wall.	Sapindaceae	Thingkhim	Tree	LR	В
A decoction of B is applied externally for	or the remedy of musc	cle strain.			
Achyranthes aspera L.	Amaranthaceae	Buchhawl	Herb	LR	WP
Taken for the remedy of dysentery, coli	c diseases, in boils &	cirrhosis.			
Achyranthes bidentata Blume	Amaranthaceae	Vangvat-tur	Herb	LR	L
The L are crushed & the juice is applied	d to treat a poisoned l	each bite.			
Adhatoda zeylanica Medik.	Acanthaceae	Kawldai	Herb	LR	L
L are antispasmodic, used in chronic bi antiseptic, antiperiodic, antithelminthic,		•		nsecticida	l. R are
Adiantum caudatum L.	Pteridaceae	Chakawkria	Herb	LR	Fr
The Fr are crushed & applied externally	on skin diseases.				
Adiantum philippense L.	Pteridaceae	Chakawkte	Herb	LR	WP
An infusion of the WP is taken for the re	emedy of fever & dyse	entery.			
Aeginetia indica L.	Orobanchaceae	Sanghar-vaibel	Epheme- al	CR/VU	R/Rh
Juice of the Rh is applied to mumps & i for fertility.	nflammatory glands.	R in combination with	other plants are	prescribe	d as pill
Aegle marmelos L.	Rutaceae	Belthei	Tree	EW/VU	Р
A decoction of Fr is applied for the rem	edy of dysentery, stor	mach ache & digestive	problems.		
Aeschynanthus sikkimensis (C.B. Clarke) Stapf	Gesneriaceae	Bawltehlantai	An epiphytic undershrub	LR	L,F,Rs
The L & Rs are used for the remedy of infusion of F is taken for the remedy of	•	crushed L are applied	for inflammator	ry glands.	An
Ageratum conyzoides L.	Asteraceae	Vailenhlo	Herb	LR	R
The R is crushed with Callicarpa arbore stomach cancer. St & L are used as an		•	e is drunk for th	e remedy	of
Albizia procera (Roxb.) Benth.	Fabaceae	Kangtekpa	Small tree	LR	B,L,R
A poultice of L are applied to ulcers. Th	e crushed B is used f	for fish-poisoning.			
Albizia odoratissima (L.f.) Benth.	Fabaceae	Kangteknu	Tree	LR	L
The L are boiled in ghee & is used in re	emedy for cough.	, -	,	·	
Allophylus cobbe (L.) Raeusch.	Sapindaceae	Gendrama	Shrub	LR	L,R
A decoction of R is taken orally for chro	· · ·	applied externally for	the remedy of u	lcers	

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Alocasia fornicata (Roxb.) Schott	Araceae	Baibing	Herb	LR	Sp
The sap or juice of the plant is applied of	on a snake bite.				
Alpinia bracteata Roscoe	Zingiberaceae	Aichal	Herb	LR	Rh
Powdered Rh with that of Zingiber office	inale Roscoe & a little	salt is used for the re	medy of stoma	titis & coug	h.
Alstonia scholaris (L.) R. Br.	Apocynaceae	Thumriat	Tree	LR	B,La,R
50 ml of R-B decoction is taken three tir wounds. The La with an equal proportion		• •		ed on cuts	&
Amaranthus spinosus L.	Amaranthaceae	Thuamriat	Herb	LR	R,L
R extract is drunk for the remedy of her crushed L are used as a hemostatic.	norrhages. L are boile	ed in water & drunk to	treat difficult ur	ination. Jui	ce of
Amomum dealbatum Roxb.	Zingiberaceae	Aidu	Herb	LR	B,R
The B is crushed & the juice is used as	antiseptic. A decoction	on of R suckers is take	n for hypertens	sion.	
Amorphophallus paeoniifolius (Dennst.) Nicolson	Araceae	Telhawng	Herb	LR	Т
The T is sliced into pieces & boiled in w	ater to remove the irr	itants.	•		
Ampelocissus latifolia (Roxb.) Planch.	Vitaceae	Heruipawl	Climber	LR	L,R
Juice of crushed R is taken orally to sto edge.	p excess urination mi	ixed with blood. The L	are chewed ag	gainst teeth	set on
Ananas comosus (L.) Merr.	Bromeliaceae	Lakhuihthei	Herb	LR	Fr,L
The L or Fr are crushed & the juice is us	sed for the remedy of	convulsions.			
Andrographis paniculata (Burm.f.) Wall. ex. Nees	Acanthaceae	Hnahkhapui	Herb	NT	L,St, WP
L are antispasmodic, used to treat diarr of stomach ache and used as an antihe			re used as a fe	brifuge, for	treatme
Angiopteris evecta (G. Forst.) Hoffm.	Marattiaceae	Arthladawnpui	Terrestrial fern	LR	R
A R paste is used to treat bone fracture	S.				
Anacardium occidentale L.	Anacardiaceae	Sazupumpui-thei	Tree	EW/VU	В
Juice of crushed B is applied externally	on ring worm, lepros	y & warts.			
Anacolosa crassipes Kurz	Olacaceae	Lushai-nautur	Shrub	LR	L
Boiled L are used with water for bathing	children to treat mea	asles & skin eruptions.			
Anogeissus acuminata (Roxb. ex DC.) Guill., Perr. & A. Rich.	Combretaceae	Zairum	Tree	LR	В
The B is crushed & the juice is used as	a remedy for diarrho	ea & beriberi.			
Anthocephalus chinensis (Lam.) Rich. Fex Walp.	Rubiaceae	Banphar	Tree	LR	B,L
B&L are used for the remedy of uterine	complaints & blood d	liseases.			
Aporosa octandra (BuchHam. ex D. P Don) Vickery		Chhawntual	Small tree	LR	В
50 ml. of B decoction is taken for the re	medy of stomach ach	e & stomach ulcer.			
Aquilaria malaccensis Lam.	Thymeleaceae	Thingrai	Small Tree	CR: E	Re,W

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
The W is used as a stimulant, antiasthm tonic, leucoderma, and for stomach pro				e diuretic, l	orain
Ardisia colorata Link	Primulaceae	Hnunthlum	Small tree	LR	R
The R paste is applied externally on chi	ronic ulcer.				
Ardisia paniculata Roxb.	Primulaceae	Naunuar	Small tree	LR	R
Decoction of R is used for rheumatism. Blume is boiled with water & taken for ja		nation with <i>Smilax oval</i>	ifolia Roxb. & I	Bridelia tor	nentosa
Ardisia polycephala Wall. ex A. DC.	Primulaceae	Sialtuai	Small tree	VU	R
The R with that of Amaranthus caudata water for normal bleeding after child bird		n with cold water to sto	p excess bleed	ding & with	warm
Arenga pinnata (Wurmb) Merr.	Arecaceae	Thangtung	Shrub	LR	R
Decoction of R is applied for bronchitis	& stomach ache.		,		
Areca catechu L.	Arecaceae	Kuhva	Palm tree	LR	Fr,L
The Fr/nut is antihelminthic, astringent, remedy of bleeding gums, as well as for		•	•		or the
Arenga saccharifera Labill.	Arecaceae	Thangtung	Palm tree	LR	R
R is used to treat stomach ache & brond	chitis.				
Artemisia indica Wild.	Asteraceae	Sai	Herb	VU	L
Infusion of L taken orally for the remedy	of fever, stomach ac	che, whooping cough, b	oleeding from t	he nose &	gum.
Artocarpus chama BuchHam.	Moraceae	Tatkawng	Tree	LR	В
Decoction of B is taken for the remedy	of diarrhoea. A paste	of B is applied externa	Illy on sores &	pimples.	
Artocarpus lakoocha Wall. ex Roxb.	Moraceae	Theitat	Tree	LR	B,S
The S is used as a purgative & B powder pimples & cracked skin.	er is applied to sores	to draw out purulent m	atter. An infus	ion is appli	ed to
Asparagus racemosus Wild.	Asparagaceae	Arkebawk. Satavar	Herb	NT	R,L
R are used as a refrigerant, demulcent, & used in fever, rheumatism & as a sex infections. Boiled L are applied on boils	ual tonic. A decoction				
Averrhoa sp.	Oxalidaceae	Theiherawt	Small tree	NT	Fr,L
Three or four slices of Fr are take daily to treat an enlargement of the liver.	for jaundice, bleeding	g piles, & as an antisco	orbutic. An infu	sion of L ar	e taken
Azadirachta indica A. Juss.	Meliaceae	Nimthing	Tree	NT	WP
Stem B is used as an astringent for skir as antiseptic, antibiotic, in boils, ulcer & antihelminthic, and gum demulcent. So	eczema. F is used to	treat stomach aches,			
Baccaurea ramiflora Lour.	Phyllanthaceae		Tree	LR	B,L
Purgative, used in stomach ache, juice young L are chewed 3 times a day for to		aken against food aller	gy as well as a	antihelmintl	hic. 2-3
Bauhinia variegata L.	Fabaceae	Vaube	Tree	LR	B,FI
B is used as a carminative, tonic, astrin	gent, antidiarrheal, bl	lood purifier, and for tre	eatment of goit	ers. F is us	ed as a
laxative.					
Begonia inflata C.B. Clarke	Begoniaceae	Sekhupthur-hmul	Herb	NT	WP

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Benincasa hispida (Thunb.) Cogn.	Cucurbitaceae	Maipawl	Climbing herb	NT	Fr,S
Fr is used as a laxative, diuretic, antipe antihelminthics.	riodic and for treatme	ent of internal organ he	morrhages. S a	are used as	5
Bergenia ciliata (Haw.) Sternb.	Saxifragaceae	Pan-damdawi	Herb	EN	Ls,R
L are used for ear ache. L & R as used	as a tonic & antiscort	pent, & to treat diarrho	ea, fevers, pile	s & urinary	problen
Bidens pilosa L.	Asteraceae	Vawkpuithal	Herb	LR: W	F,L,Sh
Young Sh are used to treat rheumatism	n. L are used for eye &	ջ ear complaints. F is ւ	used as an anti	diarrheal.	
Bischofia javanica Blume	Phyllanthaceae	Khuangthli	Tree	LR	B,L,Sł
Young Ls & buds are used in tonsillitis phryngitis. A decoction of the B is taker			L are taken or	ally for diph	ntheria 8
Blumea laciniata (Roxb.) DC.	Asteraceae	Khuanglawr	Herb	LR	L,R
A paste from R is used against snake b	ite. L are crushed & t	he juice is applied exte	ernally on the b	itten part.	
Blumea lanceolaria (Roxb.) Druce	Asteraceae	Buarze	Shrub	VU	L
Pressed juice of L are applied to treat v	vounds & chronic ulce	ers. An infusion of L are	e taken agains	dysentery	'.
Bombax ceiba L.	Malvaceae	Phunchawng	Tree	VU	B,G, Fr,R
The R is used as a stimulant & tonic. B astringent, & tonic (alternatively used to		-			
Bombax insigne Wall.	Malvaceae	Pang	Tree	LR	В
The B is boiled with that of <i>Mangifera in</i> of tonsillitis & other throat infections.	ndica L. (equal part) 8	a half cup of water is	taken twice da	ily for the r	emedy
Buddleja asiatica Lour.	Scrophulariaceae	Serial	Shrub/ small tree	NT	F
F is used to treat skin diseases.			•		
Callicarpa arborea Roxb.	Lamiaceae	Hnahkiah	Tree	LR	В
The B is crushed & the juice is drunk for is used as a hemostatic on cuts.	r the remedy of stom	ach pain, dysentery &	vomiting. Juice	of the inne	er B coa
Callicarpa macrophylla Vahl	Lamiaceae	Hnahkiahte JHR.	Small Tree	LR	Ls
L are turned into paste & applied on bo	ne fractures.				
Calotropis gigantea (L.) W.T. Aiton	Apocynaceae	Madar	Shrub	EW/VU	L,Sa, St
Used for wound healing.	-				
Camellia sinensis (L.) Kuntze	Theaceae	Thingpui	Small tree	LR	L
Tea from boiled L are used as an astrir	ngent, stimulant & diui	retic.			
Canarium strictum Roxb.	Burseraceae	Berawthing	Tree	NT	В
B is used to treat rashes.	,		•		
Canavalia ensiformis (L.) DC.	Fabaceae	Fangra	Climber	LR	S
Sliced S is applied to snake bite to drav	•		7		
Carica papaya L.	Caricaceae	Thingfanghma	Small tree	LR	Fr,S
Juice of unripe Fr in large doses as tak is taken as an antihelminthic. Ripe Fr is				es from the	skin, ar

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Caryota urens L.	Arecaceae	Tum	Palm tree	LR	St
A flesh toddy from the St is used as foo	d during famine.				
Cassia alata L.	Fabaceae	Tuihlo	Shrub	LR	L
The L are bruised & applied to ringworn	n (fungal) infections a	s well as to other skin	infections.		
Cassia fistula L.	Fabaceae	Ngaingaw	Tree	LR	WP
R, B, S & L are used as purgatives, ton	cs & febrifuges.				
Cassia hirsuta L.	Fabaceae	Sab-daru	Shrub	CR/VU	L,R
In case of snake-bite juice of R taken in	ternally while brushe	d L applied externally	on affected par	t	
Cassia tora L.	Fabaceae	Kelbe-an	Shrub	LR	L,R,S
R paste is used externally against ringv	orm infections. A ded	coction of L/S is applie	d externally on	cutaneous	s disease:
Catharanthus roseus (L.) G. Don	Apocynaceae	Kumtluang	Herb	LR/IN	L,R,St
The raw L are taken treat high blood profor diabetes, diarrhoea, dysentery, & ch		an anti-cancer agent.	A decoction of	R, St & L	are used
Caulokaempferia linearis (Wall.) K. Larsen	Zingiberaceae	Lung-ai-thing Lalram	Herb	LR	L
Chakmas apply crushed L on the head	to treat vertigo.				
Cautleya gracilis (Sm.) D&y	Zingiberaceae	Pale	Herb	C/EW	Rh
An infusion of Rh is taken for flatulence heat.	, colic & hepatomega	ly. The Rh is eaten rav	v to relieve coli	c, cough, &	& stomacl
Centella asiatica (L.) Urb.	Apiaceae	Lambak/Hnahbi-al	Herb	LR	L
L are used as a memory stimulator and asthma & eye problems.	to treat hypertension	. The L are boiled & th	e water is take	n for the re	emedy of
Cephalostachyum capitatum Munro	Poaceae	Raw-ngal	Herb	LR	L
L are used as a tonic, antihelminthic, ca	rminative & to treat s	tomach ache.			
Chassalia ophioxyloides (Wall.) Craib	Rubiaceae	Khummurmu	Shrub	LR	R
The R paste is applied externally to chr	onic ulcers, tumors &	sores.			
Chonemorpha fragrans (Moon.) Alston	Apocynaceae	Phungthe ikelki	Climber	LR	R
100 ml of R infusion is applied internally	/ (vaginally) twice dai	ly to retain the placent	a.		
Chromolaena odorata (L.) R.M. King & H. Rob.	Asteraceae	Tlangsam	Shrub	LR	L
Crushed L juice is applied externally as	to stop bleeding.				
Chukrasia tabularis A. Juss.	Meliaceae	Zawngtei	Tree	LR	R,SC
Raw R are taken for the remedy of ston raw to remedy diarrhoea & dysentery.	nach pain. An infusior	n of S-coats is taken in	ternally or a sn	nall portion	is eaten
Cinnamomum obtusifolium (Roxb.) Nees	Lauraceae	Thakthingsuak	Tree	LR	В
B is used to remedy dyspepsia & liver of	omplaints.				
Cinnamomum tamala (Buch-Ham.) Nees & Eberm.	Lauraceae	Tejpatta	Tree	LR	B,L
L are used as a stimulant, carminative,	antirheumatic, & antic	diarrheal. B is used in t	reating gonorr	hoea.	
Cinnamomum verum J. Presl	Lauraceae	Thakthing	Tree	LR	B,L
B is used as a carminative, antispasmo			re used for dia	, betes.	

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Cissus repanda Vahl.	Vitaceae	Vawmdawng	Climber	LR	L,R
A R paste in water mixed with Murraya	koenigii (L.) Spreng.	is drunk as a tea for he	eartburn. L are	used for sr	nake bite.
Cissus discolor Blume	Vitaceae	Sangharhmai	Climber	NT	L,R,St
A decoction of the R, St & L is used for	inflamed kidneys.				
Citrus sinensis (L.) Osbeck	Rutaceae	Serthlum	Tree	LR	L
The L are boiled & the water is taken for	r the remedy of mala	ria.			
Claoxylon khasianum Hook.f.	Euphorbiaceae	Nagabang	Shrub/ small tree	NT	R
A R paste is applied externally for tumo	ers/cancer.				
Clerodendrum bracteatum Wall. ex Walp.	Verbenaceae	Phuihnam	Small tree	LR	L,R
The L & R are used to remedy diarrhoe	a.				
Clerodendrum colebrookianum Walp.	Verbenaceae	Phuihnam	Small tree	VU	L
50 ml of a decoction of L is taken twice	daily to treat hyperte	nsion.			
Colysis hemionitidea (Wall. ex C. Presl C. Presl	Polypodiaceae	Kawkte-bet*	Fern	LR	Rh
The Rh is used for the treatment of bor	ne fractures.				
Congea tomentosa Roxb.	Verbenaceae	Sahuaihrui	Shrub	NT	St
St is used to treat animal wounds.					
Cordia dichotoma G. Forst.	Boraginaceae	Muk	WP parts	LR	B,Fr,L
The plant is used as an antidote for sna for treatment of urinary infections. B is		•		•	ctorant, &
Costus speciosus (J. König) Sm.	Costaceae	Sumbul	Herb	LR	L,R,Rh
A cold infusion of the Rh is taken orally removal kidney/gall bladder stones. The					the
Crotalaria juncea L.	Fabaceae	Tumthang	Shrub	LR	L
L are used as a demulcent, emetic, pur	gative & abortifacient	•			
Cucurbita maxima Duchesne	Cucurbitaceae	Mai	Climber	LR	Fr,L
The Fr or L are boiled & the water is tal	cen for the remedy of	eye problem.			
Curculigo crassifolia (Baker) Hook. f.	Hypoxidaceae	Phaiphek	Herb	LR	IS,T
Tuber/immature stem juice is used in st wounds.	omach ache & also a	applied on deep cuts &	bandaged to re	elieve pain	& to hea
Curcuma caesia Roxb.	Zingiberaceae	Ailaidum	Herb	NT/C	Rh
Crushed Rh juice is used for the treatm	ent of diarrhoea & sto	omach pain.			
Curcuma longa L.	Zingiberaceae	Aieng	Herb	A/C	Rh
Crushed Rh juice is used as an antisep	tic.				
Curcumorpha longiflora (Wall.) A.S. Rao & D.M. Verma	Zingiberaceae	Ailaidum	Herb	EW/VU	Rh
A Rh infusion is taken to remedy dysen	tery & diarrhoea.				
Cyathula prostrata (L.) Blume	Amaranthaceae	Buchhawlsen Lalram	Herb	LR	L
The crushed L are applied on boils & th	en bandaged in orde	r to draw pus out.			

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Cyclea peltata Hook. f. & Thomson	Menispermaceae	Khauchhim	Climber	VU/NT	R
A R decoction is taken orally for colic, f	ever & diarrhoea.				
Cynodon dactylon (L.) Pers.	Poaceae	Phaitual	Perennial grass: on roadsides: to 1,800m	LR	WP
Bruised plant is inhaled for treatment of	a toothache.				
Dalbergia pinnata (Lour.) Prain	Fabaceae	Tengterehrui	Tree	CR/VU	B,R
B & R are used to treat stomach proble	ms, hepatitis & tootha	ache.			
<i>Datura suaveolens</i> Humb. & Bonpl. ex Willd.	Solanaceae	Tawtawrawt par	Shrub: Cultivated especially in home garden	LR	L
L are dried & smoked as tobacco for ch stony hard breasts.	est complaints, asthr	na. Roasted L are app	lied externally	to treat bre	ast lump
Dendrocnide sinuata (Blume) Chew	Urticaceae	Thakpui	Shrub	LR	R
The R are boiled along with crabs & the	water is taken for the	e remedy of jaundice.			
Dendrobium denudans D. Don	Orchidaceae	Naubanhlosen	Orchid/ Shrub	EN/VU	St
The St are used as a narcotic.					
Desmodium gyroides (Roxb. ex Link) FDC.	abaceae	Kerangkana	Shrub	LR	R
A R paste is used as a treatment for inf	lammatory glands.				
Desmodium triflorum (L.) DC.	Fabaceae	Bawngkek- hlo Lalram	Herb	LR	WP
The plants are boiled & the water is tak	en for kidney problem	n & urinal problems. Fr	esh L juice is a	applied on	wounds.
Desmos chinensis Lour.	Annonaceae	Zunin -damdawi	Scandent	LR	L,R
Desmos dumosus (Roxb.) Saff. (Used alone & in combination)			scrub		
A R decoction is used for treatment of p	painful urination.				
Desmos longiflorus Saff.	Annonaceae	Chi-ri-pi	Small tree	NT	L,R
A R paste is used for the treatment of c	hronic ulcer. A L dece	oction is used to treat a	asthma.		
Dillenia indica L.	Dilleniaceae	Kawrthindeng	Tree	LR	B,Fr
The Fr is boiled & the water is taken for of diarrhoea & dysentery.	the remedy of jaund	ice. 50 ml of B infusior	is taken twice	daily for tr	eatment
Dillenia pentagyna Roxb.	Dilleniaceae	Kaihzawl	Tree	LR	B,W
A B decoction is taken orally for diabete & antiulcer agents.	es,. A B paste is appli	ed externally on rheun	natic pains. W	used for ar	nticancer
Dinochloa compactiflora (Kurz.) McClure	Poaceae	Sairil	Bamboo	LR	St
The outer St epidermis is scraped off & given to children for influenza, cough &		cuts to stop bleeding.	Sap oozing ou	ut of the cu	t stem is
Diplazium maximum (D. Don) C. Chr.	Woodsiaceae	Chakawk-ei-chi	Fern	LR	R

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
The R is crushed, combined with other	plants, & the mixture	is applied externally o	n bone fracture	es.	
Dioscorea alata L.	Dioscoreaceae	Rambachim	Climber	LR	Т
The T is used for treatment of leprosy, p	oiles & gonorrhoea.				
Dipterocarpus turbinatus Gaertn.	Dipterocarpaceae	Lawngthing	Tree	LR	Re, St, W
Re is used as a stimulant & diuretic, & t	o treat gonorrhoea, c	hronic bronchitis & lep	rosy.		
Dracaena spicata Roxb.	Asparagaceae	Phunhring	Shrub	LR	L,R
The L & R are used to treat stomach ac	he.	,			
Drymaria cordata (L.) Willd. ex Roem. & Schult.	Caryophyllaceae	Changkalrit	Herb	LR	WP
The WP is boiled & the steam is inhaled & muscle strain.	d to treat sinus proble	ems & cough. Bruised	L are used as I	otion for joi	int pain
Dysoxylum gobara (BuchHam.) Merr.	Meliaceae	Thingthupui	Tree	LR	Bu,L
A decoction of L & buds is used as a re	medy for diarrhoea &	dysentery.			
Elaeagnus caudata Schltdl. ex Momiy.	Elaeagnaceae	Sarzukpui	Scandent herb	LR	L,R
The R is boiled & the water is taken ora as a treatment after child birth. A L infus					sy labor 8
Elaeagnus pyriformis Hook.f.	Elaeagnaceae	Ramsarzuk	Shrub	VU	R
R paste is dipped in water & drunk to tro	eat appendicitis.				
Elsholtzia blanda (Benth.) Benth.	Lamiaceae	Nauhri	Shrub	NT	Α
An A infusion is used for children's dise A L poultice is used to treat inflammator		combination of fever,	cholera, skin di	iseases & i	nflamma
Elsholtzia ciliata (Thunb.) Hyl.	Lamiaceae	Ram-lengser* Lalram	Herb	LR	WP
L juice is used as a diuretic, and for trea	atment of cough & co	lds.			
Embelia subcoriacea (C.B. Clarke) Mez	Elaeagnaceae	Tling	Climber	LR	L
A L decoction is used for bathing in the	treatment of small po	ox & for bathing woman	n's injuries afte	r child birth	۱.
Emblica officinalis Gaertn.	Euphorbiaceae	Sunhlu	Tree	LR	Fr
The raw Fr is taken for the remedy of st	omach problems.	•			
Entada pursaetha DC.	Fabaceae	Kawi	Climber	LR	S
The S are soaked in water & the water	is dropped into the no	ostrils for treatment of	eeches.		
Ervatamia coronaria (Jacq.) Stapf	Apocynaceae	Pararsi	Shrub	LR	B,L,R
The R are used to provide comfort for to treat diseases of eyes.	pothaches. R & B use	ed as an antidote for so	corpion stings.	Milky juice	is used
Eryngium foetidum L.	Apiaceae	Bahkhawr	Herb	LR	R
The R are used for treatment of stomac	· · · · · · · · · · · · · · · · · · ·	•	•	,	
Erythrina stricta Roxb.	Fabaceae	Fartuahpui	Tree	LR	В
The B is used as an astringent & antidoulcer.		·			
Eucalyptus globulus Labill.	Myrtaceae	Eucalyptus	Tree	LR	Ch,L
	1,			`	··, _

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
A L infusion is taken for treatment of protreatment of stomach ulcer. A L decocti		•	made into past	e & taken f	or
Eupatorium adenophorum Spreng.	Asteraceae	Hlothar	Herb	LR	L
Crushed L juice is applied to stop nose	bleeding.	,			
Eupatorium cannabinum L.	Asteraceae	Hlothar	Herb	LR	L
Crushed L juice is applied to stop nose	bleeding.				
Euphorbia royleana Boiss.	Euphorbiaceae	Chawng	Shrub	LR	Fr,L,Pi
Pi & unripe Fr of <i>Carica papaya</i> L. is co					
Ficus benghalensis L.	Moraceae	Hmawng	Tree	LR	B,L, La,R,S
The milky juice is applied externally for & for treatment of dysentery, diarrhoea abscesses. R fiber is used in treatment	& diabetes. S is used				
Ficus prostrata (Wall. ex Miq.) Miq.	Moraceae	Theitit	Epiphytic	LR	R
Crushed R juice is applied for remedy of	of poisoned snake bite	es.			
Ficus religiosa L.	Moraceae	Hmawnghnahzum	Tree	LR	B,L
B is used as an astringent, & to treat go purgatives & to treat skin diseases.	onorrhoea, dysentery,	fever, scabies, & piles	s. L & young sh	oots are u	sed as
Ficus semicordata BuchHam. ex Sm. var. conglomerata (Roxb.) Corner	Moraceae	Thenpui	Small tree	LR	B,L
B & L together are used to treat liver ail	ments.				
Flemingia macrophylla (Willd.) Prain	Fabaceae	Tuisithing Lalram*	Shrub	VU/NT	R
A R decoction is used as an external ap	pplication for treatme	nt of swellings & pain ir	n the body.		
Garcinia cowa Roxb.	Clusiaceae	Chengkek	Tree	LR	B,L
B & L are for treatment of diarrhoea, lep	orosy & ulcers.				
Garcinia lanceifolia Roxb.	Clusiaceae	Pelhte	Tree	EN	Fr,L
Fr & L are used for remedy of stomach	ache.				
Garcinia paniculata Roxb. ex Wight	Clusiaceae	Vawmva	Tree	LR	S
The S are used in treatment of roundwo	orms.				
Garcinia pedunculata Roxb. ex Buch Ham.	Clusiaceae	Theipumlian	Tree	NT	Fr
An acidic Fr pericarp extract solution is	mixed with sugar & is	s taken orally against d	lysentery & dia	rrhoea.	
Gardenia coronaria BuchHam.	Rubiaceae	Rul-hluah* Lairan	Tree	LR	L,R
50 ml of an infusion of R & L is taken of	rally twice daily again	st snake bite.			
Garcinia sopsopia Mabb.	Clusiaceae	Thensaker	Tree	NT	Br
Br is used to treat snake bite.	•	,	•		
Garuga pinnata Roxb.	Burseraceae	Bangbutuairam	Tree	LR	B,L
Stem B juice is dropped into the eye to	•	cities. L juice mixed wi	th sugar is take	en for asth	
Gelsemium elegans (Gardner & Champ.) Benth.	Gelsemiaceae	Hnamtur	Tree	EN/VU	R

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Girardinia palmata (Forssk.) Gaudich.	Urticaceae	Kangthai	Tree	LR	R
Crushed R juice is taken against food a	llergies (e.g., pork).				
Gmelina arborea Roxb. ex Sm.	Verbenaceae	Thlanvawng	Tree	LR	F,Fr
A F decoction is used orally to treat hyp	ertension. Roasted F	r is applied externally	for itching.		
Goniothalamus sesquipedalis (Wall.) Hook. f. & Thomson	Annonaceae	Kham	Small tree	LR	Ls
L are burned & the smoke is inhaled to	treat asthma & also t	o induce sleep.			
Gynocardia odorata Roxb.	Flacourtiaceae	Saithei	Tree	EN	so
The Fr are crushed & the S are extracted	ed & used as lotion fo	r treatment of leprosy	& other skin dis	seases.	
Hedychium coronarium J. König	Zingiberaceae	Ai-lalnu	Herb	NT/C	Rh,St
The base of St are used for swellings &	the Rh are used for t	treatment of fevers & rl	heumatism.		
Hedychium spicatum BuchHam. ex Sm.	Zingiberaceae	Kelhnamtur	Herb	LR	Rh
The Rh is used to remedy stomach ach tonic, stimulant, & expectorant.	e, liver problems, vor	miting, inflammation, pa	ains, snake bite	e, & as a ca	arminativ
Hedyotis scandens Roxb.	Rubiaceae	Laikingtuibur	Climber	LR	WP
The WP is boiled & the water is taken for	or treatment of swelling	ng, malaria & kidney pr	oblems.		
Helianthus annuus L.	Asteraceae	Nihawipar	Herb	LR	S
The S are used as diuretics, expectorar pulmonary infections.	nts, febrifuges, & in tr	eatment of stomach ac	che, bronchitis,	& laryngea	al or
Helicia excelsa Blume	Proteaceae	Sialhma	Tree	VU/NT	В
A B decoction is used for remedy of sto	mach problems.				
Helicia robusta R. Br. ex Blume	Proteaceae	Sialhma	Tree	LR	В
50 ml of a B decoction is taken twice da	ily for remedy of stor	nach problems.			
Hibiscus rosa-sinensis L.	Malvaceae	Midumpangpar/ Banglapar	Shrub	LR	F
The raw F is taken for the remedy of jau	ındice.				
Hodgsonia macrocarpa (Blume) Cogn.	Cucurbitaceae	Kha-um	Climber	LR	L
Crushed L juice is applied on fresh cuts ulcers.	to stop bleeding & tr	eat wounds. Powdered	d L are applied	externally	to treat
Homalomena aromatica (Spreng.) Schott	Araceae	Anchiri	Herb	LR	Rh,WP
Rh is used as an aromatic stimulant. W	P juice is used as a lo	otion for skin diseases.			
Hoya griffithii Hook.f.	Apocynaceae	Hnahchhah	Herb	LR	L,Sa
The L sap is applied on the burned skin					
Hydnocarpus kurzii (King) Warb.	Flacourtiaceae	(King.) Warb.	Tree	CR/EN	B,Fr
The smoke of burning B is used for stup poisoning fish. The S are sold by Lusha			,		for
Hydrocotyle nepalensis Hook.	Apiaceae	Hlovaidawr/ Darbengur	Herb	NT	L
L are used as diuretic, tonic, blood purif scabies & cutaneous diseases.	ier, insecticidal, & sti	mulant, & for treatment	t of dysentery,	stomach a	che,

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Imperata cylindrica (L.) Raeusch.	Poaceae	Di	Grass	LR	R
R juice is used for the removal or expell	ing of the intestinal w	orms.			
<i>Inula cappa</i> (BuchHam. ex D. Don) DC.	Asteraceae	Buarthau	Shrub	LR	L,WP
The L are crushed with those of <i>Plantag</i> three times daily for diabetes & jaundice		kb. & Lobelia angulata	G. Forst. & the	e juice is ta	ken orall
Ixora nigricans R. Br. ex Wight & Arn.	Rubiaceae	Thainurual	Shrub/ small tree	VU	L
An infusion of the L is prescribed for dys	sentery & colic proble	ems.	•		
Jasminum nervosum Lour.	Oleaceae	Hrurkha	Shrub	LR	L
The L are used for the remedy of stoma					
Jatropha curcas L.	Euphorbiaceae	Kangdamdawi	Shrub	LR	Br,Fr,L
Fr/nut is used as a purgative. L are used for treating swollen gums.				ed as tooth	
Juglans regia L.	Juglandaceae	Khawkherh	Tree	LR	B,Fr,L
B & L are used as antihelminthics. L are	used as astringents	& tonics. Fr is used a	s an antirheum	natic.	
Justicia adhatoda L.	Acanthaceae	Kawldai	Shrub	LR	L
Crushed L juice is applied externally on internally twice daily for 3 days as a trea	atment for malarial fe	ver. L paste is applied			
internally twice daily for 3 days as a treathe patient bathes on the third day to treather than the patient bathes on the third day to treather than the patient bathes on the third day to treather than the patient bathes as a treather than the patient bathes a	atment for malarial fe eat acute or chronic n Crassulaceae	ver. L paste is applied			
internally twice daily for 3 days as a treathe patient bathes on the third day to treather the patient bathes on the third day to treather the patient bathes on the forehead scorched L are applied on the forehead	atment for malarial fe eat acute or chronic n Crassulaceae to treat vertigo.	ver. L paste is applied nalaria. Zihor	on the whole I	NT/IN	hours &
internally twice daily for 3 days as a treathe patient bathes on the third day to treather the patient bathes on the third day to treather the patient bathes on the forehead speciosa (L.) Pers.	etment for malarial fe eat acute or chronic n Crassulaceae I to treat vertigo. Lythraceae	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado	on the whole Herb	body for 24	
internally twice daily for 3 days as a treathe patient bathes on the third day to treather the patient bathes on the third day to treather the patient bathes on the forehead scorched L are applied on the forehead	etment for malarial fe eat acute or chronic n Crassulaceae I to treat vertigo. Lythraceae	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado	on the whole Herb	NT/IN	hours &
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treather the patient bathes on the third day to treather the patients of the pati	etment for malarial ferent acute or chronic not consider the Crassulaceae to treat vertigo. Lythraceae infusion is taken for	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado diarrhoea & dysentery	on the whole I Herb Tree	NT/IN LR	hours &
internally twice daily for 3 days as a treathe patient bathes on the third day to treat the patient bathes on the third day to treat the patient bathes on the third day to treat the patient bathes on the forehead the second of th	atment for malarial ferent acute or chronic not consider the crassulaceae of the treat vertigo. Lythraceae of infusion is taken for Asteraceae	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado diarrhoea & dysentery Runhthung	Tree // Herb	NT/IN LR LR	hours &
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr.	atment for malarial fer eat acute or chronic not chron	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak	on the whole Herb Tree /. Herb	NT/IN LR LR LR	hours & L B,R L
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A Bathesia Comparator (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatments.	atment for malarial fer eat acute or chronic not chron	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatments	Tree Herb Tree Tree Tree	NT/IN LR LR LR LR s, sprains &	hours & L B,R L
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L.	atment for malarial fer eat acute or chronic not chron	ver. L paste is applied nalaria. Zihor Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatments	Tree Herb Tree Tree Shrub	NT/IN LR LR LR LR LR LR LR LR LR	B,R B,L body pa
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L. Leaves are used as a diaphoretic, antirk	Atment for malarial fer eat acute or chronic not chron	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatmer Hlingpangpar & antispasmodic, & to	Tree Herb Tree Shrub Treat malaria	NT/IN LR LR LR LR LR LR LR LR LR L	hours & L B,R L body pa
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L. Leaves are used as a diaphoretic, antirk Lasia spinosa (L.) Thwaites	atment for malarial fer eat acute or chronic not chron	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatme Hlingpangpar & antispasmodic, & to	Tree Herb Tree Tree Shrub	NT/IN LR LR LR LR LR LR LR LR LR	B,R B,L body pa
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L. Leaves are used as a diaphoretic, antirk	atment for malarial fer eat acute or chronic not chron	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatme Hlingpangpar & antispasmodic, & to	Tree Herb Tree Shrub Treat malaria	NT/IN LR LR LR LR LR LR LR LR LR L	hours & L B,R L body pa
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead the second of the sec	atment for malarial fer eat acute or chronic not chron	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatmer Hlingpangpar e & antispasmodic, & to Zawngzang (diphtheria).	Tree Herb Tree Herb Tree Shrub Treat malaria Herb Large shrub/	LR LR LR LR LR LR A sprains & LR A tetanus. NT	hours & L B,R L body pa L Rh
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe the patient bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A B Laggera crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L. Leaves are used as a diaphoretic, antirb Lasia spinosa (L.) Thwaites Bawm medicine men prescribe a Rh inf Lasianthus hirsutus (Roxb.) Merr.	atment for malarial fer eat acute or chronic not chron	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatmer Hlingpangpar e & antispasmodic, & to Zawngzang (diphtheria).	Tree Herb Tree Herb Tree Shrub Treat malaria Herb Large shrub/	LR LR LR LR LR LR A sprains & LR A tetanus. NT	hours & L B,R L body pa L Rh
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A Bathesia Communication of the properties of the properties of the properties of the patients	Attent for malarial fer eat acute or chronic not consider the construction of the cons	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatmee Hlingpangpar e & antispasmodic, & to Zawngzang (diphtheria). Changneithing	Tree // Herb Tree // Herb Large shrub/ small tree	LR L	hours & L B,R L body pa L Rh
internally twice daily for 3 days as a treathe patient bathes on the third day to treathe patient bathes on the third day to treathe patient bathes on the third day to treathe bathes on the forehead Lagerstroemia speciosa (L.) Pers. A R decoction is taken for jaundice. A Bathesia Crispata (Vahl) Hepper & J.R.I. Wood Crushed L are applied to treat sores. Lannea corom&elica (Houtt.) Merr. B is used as an astringent & for treatment Lantana camara L. Leaves are used as a diaphoretic, antirbathesia spinosa (L.) Thwaites Bawm medicine men prescribe a Rh information Lasianthus hirsutus (Roxb.) Merr. Lipice is applied to stop bleeding. Lasianthus wallichii (Wight & Arn.) Wight	Attent for malarial fer eat acute or chronic not consider the construction of the cons	Chawnpui/Thlado diarrhoea & dysentery Runhthung Tawitawsuak L are used for treatmee Hlingpangpar e & antispasmodic, & to Zawngzang (diphtheria). Changneithing	Tree // Herb Tree // Herb Large shrub/ small tree	LR L	hours & L B,R L B,L body pa L

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Lepidagathis incurva BuchHam. ex D. Don	Acanthaceae	Vangvattur	Herb	LR	L
L are used to stop bleeding.					
Lepidagathis rigida Dalzell	Acanthaceae	Vangvattur	Herb	LR	L
L are used to treat tooth decay.					
Lepionurus sylvestris Blume	Opiliaceae	Anpangthuam	Shrub	NT	L
A L decoction is taken as a treatment for	or diabetes.				
Lindernia ruelloides (Colsm.) Pennell.	Scrophulariacea-e	Thasuih	Herb	EN/VU	WP
WP is used externally for rheumatism,	sciatica, skin worms,	& wounds. WP is used	internally for e	eye probler	ns.
Litchi chinensis Sonn.	Lauraceae	Theifeimung	Tree	NT	Fr,L
Fr aril is used as a tonic. L are used to	treat animal bites.				
Litsea cubeba (Lour.) Pers.	Lauraceae	Sernam	Tree	LR	Fr
Fr is used as an antiparalytic, anticepha	alagic, antihysteric, &	carminative. Fr is used	d to treat dizzin	iess & loss	of
Litsea monopetala (Roxb.) Pers.	Lauraceae	Nauthak	Tree	LR	В
B is used as an astringent, antidiarrhea	l, & stimulant. B is us	ed to treat stomach ac	he & fractures.		
Litsea cubeba (Lour.) Pers.	Lauraceae	Sernam	Tree	LR	Fr
Fr is taken for hysteria, headache & par	ralysis.				
Lobelia angulata G. Forst.	Campanulaceae	Choakthi	Shrub		WP
The WP is crushed with those of <i>Planta</i> is taken orally three times daily for diab		xb. & <i>Inula cappa</i> (Bud	chHam. ex D.	Don) DC.	& the ju
Lobelia nicotianifolia Roth ex Schult.	Campanulaceae	Berawchal	Herb	EN/VU	WP
WP juice is applied to boils & irritated s	kin.				
Lonicera macrantha (D. Don) Spreng.	Caprifoliaceae	Leihruisen	Climber	LR	L
L are used to treat diarrhoea.					
Macaranga sp.	Euphorbiaceae		Tree	LR	WP
WP is boiled & the water is taken to trea	at diabetes & retained	d placenta.			
Mallotus leucocarpus (Kurz) Airy Shaw	Euphorbiaceae	Sukiah	Small tree	LR	R
R are used to treat colic problems.	,			,	
Mallotus philippensis (Lam.) Müll. Arg.	Euphorbiaceae	Bari khei	Tree	LR	B,St
Fr gland & hair are used as antihelmint	nics & styptics, & use	d to treat scabies, ring	worm & herpe	s.	
Mallotus roxburghianus Müll. Arg.	Euphorbiaceae	Zawngtenawhlung	Small tree	LR	Br
Br used to treat jaundice & hepatomega	aly.			•	
Melocalamus compactiflorus (Kurz) Benth.	Poaceae	Sairil	Climber	LR	St
St juice is used to treat influenza.				.	
Melastoma malabathricum L.	Melastomataceae	Builukham	Evergreen shrub	LR	B,F,L
B is used as wound healer. L is used as	s an antidiarrheal & a	ntiseptic. L & F used a	s an astringent	t & antileuc	corrhoeid
Melia azedarach L.	Meliaceae	Nim-suak	Tree	NT/IN	L
	•				-

Scientific name	Family	Local name	Habit	Status	Part Used			
Mode of Utilization/Uses								
A L decoction is taken orally for treatme	ent of fever & hyperter	nsion.						
Melocanna baccifera (Roxb.) Kurz	Poaceae	Mautak	Bamboo	LR	St			
The outer St epidermis is scraped off & applied on cuts to stop bleeding.								
Merremia umbellata (L.) Hallier f.	Convolvulaceae	Vawktesentil	Tree	LR	L			
A L poultice is applied on burns & sores	S.							
Mesua ferrea L.	Calophyllaceae	Herhse	Tree	LR	B,F,L			
F is used as an astringent & to treat sto	mach ache. F & L are	used to treat snakebi	te & scorpion s	tings.				
Michelia champaca L.	Magnoliaceae	Ngiau	Tree	LR	Fr,L,S			
A L infusion with honey is used to treat	colic. Crushed Fr & S	are made into a paste	e & applied to o	racked sk	n on feet			
Mikania micrantha Kunth.	Asteraceae	Japan-hlo	Climber	LR	L			
L juice is used to stop bleeding & treat of drunk to treat typhoid or malarial fever.	dysentery. L boiled wi	ith B of <i>Vitex peduncu</i>	laris Wall. ex S	chauer in /	A. DC. is			
Millettia pachycarpa Benth.	Fabaceae	Rulei	Shrub/ climber	LR	R			
A R infusion is used as a lotion to treat scabies & itches.	wounds, swellings, to	oothache, & sprains. A	R decoction is	used for w	ashing/			
Millettia piscidia Wight & Arn.	Fabaceae	Ruteng	Tree	NT/E	Fr,R			
R are used to treat infertility. A Fr(S) de	coction is used as an	abortifacient.						
Mimosa invisa Mart. ex Colla	Fabaceae	Dihlo	Climber	LR	R			
A R infusion is used to treat kidney/gall	bladder stones.							
Mimosa pudica L.	Fabaceae	Hlonuar	Herb	LR	L,R			
L & R are used to remove piles & pistule	a. A R decoction is us	sed to treat gall-bladde	er/kidney proble	ems.				
Mirabilis jalapa L.	Nyctaginaceae	Ar-atukkhuan	Shrub	LR	L,R			
R are used as a purgative & aphrodisia inflammatory, boils, & whitlow.	c, & in treatment of d	ropsy & piles. L are us	ed as a tonic &	for treatm	ent of			
Morinda angustifolia Roxb.	Rubiaceae	Kawrpel	Shrub	LR	L			
A L poultice is applied to cracked skin of	on feet.		,	,				
Morus australis Poir.	Moraceae	Lungli	Tree	VU	B,L,R			
B is as a purgative. A L decoction is use	ed as a gargle for infla	ammation of the vocal	cords. R are u	sed as an	astringen			
Mucuna pruriens (L.) DC.	Fabaceae	Uiteme	Climber	LR	Fr,R			
R are used as a diuretic & purgative, & tonics. Fr bristles are used as a vermifu				-				
Murraya koenigii (L.) Spreng.	Rutaceae	Arpatil	Herb	LR	WP			
WP is used as a tonic & to treat stomac pain. L, B & R are used as stimulants, c		•	e, & to treat dy	sentery, &	kidney			
<i>Myrica esculenta</i> BuchHam. ex D. Don	Myricaceae	Keifang	Herb	LR	B,Fr			
B is used as a rubifacient, antiseptic, ca a sedative & to treat stomach ache.	arminative, antiasthma	atic, & diuretic, & is us	ed to treat bror	nchitis. Fr u	ised as			
Musa acuminata X balbisiana Colla	Musaceae	Balhla	Herb	LR	Sa			
The sap of stem is applied for antiseption	 D							
<u> </u>								

	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
St Sa in combination with the chicken b	lood is given to treat	epilepsy. Sa is used to	treat snake bit	tes.	
Ensete glaucum (Roxb.) Cheesman	Musaceae	Saisu	Herb	NT	S
S are made into beads & put on childre	n to prevent convulsi	ons.			
Neolamarckia cadamba (Roxb.) Bosser	Rubiaceae	Banphar	Tree	LR	L,Sa
Sa that oozes out of cut branchlets is us	sed as lotion for bone	e ache & swellings.			
Ocimum gratissimum L.	Lamiaceae	Khum-bang-bang	Shrub	NT/C	F,L
A strong L & F decoction is given to chi	dren for aphthae. A L	decoction is used as	an aphrodisiac	& to treat	gonorrho
Ocimum tenuiflorum L.	Lamiaceae	Runhmui-dum	Shrub	NT/C	WP
The steam of boiling WP is inhaled to tr & as a mosquito repellent.	eat hepatitis. A WP ir	nfusion is used to treat	cough, bronch	itis, gastric	: disorder
Oroxylum indicum (L.) Kurz	Bignoniaceae	Archangkawn	Small tree	LR	B,R,S
R & B are used as a tonic & antidiarrhe stomach ache. S are used as a purgative				arminative	& for
Osbeckia sikkimensis Craib	Melastomataceae	Builukhampa	Shrub	LR	R
Steamed R & extracted solution is taken taken to treat kidney problem & stomac	•	disorder & genital-urina	ry problems. A	R decocti	on is
Paederia foetida L.	Rubiaceae	Vawihuihhrui	Climber	LR	L,R
R & L are used as a tonic. R are used to astringent, & diuretic.	o remove piles, & to t	reat pain in the chest &	k liver. L are us	ed as a ca	rminative
Pajanelia longifolia K. Schum.	Bignoniaceae	Ram-	Tree	l I	
		archangkawm	rree	NT	L,St
L & St paste is used to treat fractures			Tree	NT	L,St
L & St paste is used to treat fractures Parabarium hookeri Pierre ex Spire	Apocynaceae		Climber	LR	L,St R
·	Apocynaceae	archangkawm Theikelkibawr			
Parabarium hookeri Pierre ex Spire	Apocynaceae	archangkawm Theikelkibawr			
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to preve	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse	Theikelkibawr s. Zawngtah entery. Green Fr exoca	Climber Tree rps (pods) are	LR LR ground into	R B,Br,Fr
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to preve Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse	Theikelkibawr s. Zawngtah entery. Green Fr exoca	Climber Tree rps (pods) are	LR LR ground into	R B,Br,Fr
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to preve Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to to & applied on cuts & wounds. Chakmas	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae neadaches, & are use	Theikelkibawr s. Zawngtah entery. Green Fr exoca scraped pods to treat of	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub	LR LR ground into sentery. LR	R B,Br,Fr o a paste Fr,L,R
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to preverence Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & h	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae neadaches, & are use	Theikelkibawr s. Zawngtah entery. Green Fr exoca scraped pods to treat of	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub	LR LR ground into sentery. LR	R B,Br,Fr o a paste Fr,L,R
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & hused to treat hemorrhoids. Fr is used as	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae neadaches, & are use an antihelminthic. Passifloraceae	Theikelkibawr s. Zawngtah entery. Green Fr exoca scraped pods to treat of Pavet-var ed as a diuretic & tonic.	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub R & L are use	LR ground into sentery. LR d to treat b	R B,Br,Fr D a paste Fr,L,R poils. L ar
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp.	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae neadaches, & are use an antihelminthic. Passifloraceae	Theikelkibawr s. Zawngtah entery. Green Fr exoca scraped pods to treat of Pavet-var ed as a diuretic & tonic.	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub R & L are use	LR ground into sentery. LR d to treat b	R B,Br,Fr D a paste Fr,L,R poils. L ar
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp. R are boiled & the water is taken to treat	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae readaches, & are use an antihelminthic. Passifloraceae et malaria. Malvaceae	Theikelkibawr Ts. Zawngtah entery. Green Fr exoca scraped pods to treat of the property of	Climber Tree rps (pods) are eliarrhoea & dys Hairy shrub R & L are use Climber Herb	LR ground into sentery. LR d to treat b	R B,Br,Fr D a paste Fr,L,R Doils. L ar R
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp. R are boiled & the water is taken to treat Pentapetes phoenicea L.	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae readaches, & are use an antihelminthic. Passifloraceae et malaria. Malvaceae	Theikelkibawr Ts. Zawngtah entery. Green Fr exoca scraped pods to treat of the property of	Climber Tree rps (pods) are eliarrhoea & dys Hairy shrub R & L are use Climber Herb	LR ground into sentery. LR d to treat b	R B,Br,Fr D a paste Fr,L,R Doils. L ar R
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp. R are boiled & the water is taken to treat Pentapetes phoenicea L. L are boiled & the water is taken to treat Phyllanthus airy-shawii Brunel & J.P.	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae readaches, & are use an antihelminthic. Passifloraceae et malaria. Malvaceae t inflamed glands, co Phyllanthaceae	Theikelkibawr Theike	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub R & L are use Climber Herb applied on inflates	LR ground into sentery. LR d to treat b LR EN/VU	R B,Br,Fr D a paste Fr,L,R Doils. L ar R L ds. L
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp. R are boiled & the water is taken to treat Pentapetes phoenicea L. L are boiled & the water is taken to treat Phyllanthus airy-shawii Brunel & J.P. Roux	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae readaches, & are use an antihelminthic. Passifloraceae et malaria. Malvaceae t inflamed glands, co Phyllanthaceae	Theikelkibawr Theike	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub R & L are use Climber Herb applied on inflates	LR ground into sentery. LR d to treat b LR EN/VU	R B,Br,Fr D a paste Fr,L,R Hoils. L ar R L ds. L
Parabarium hookeri Pierre ex Spire A R decoction is taken as a tea to prevere Parkia timoriana (DC.) Merr. A B & twig decoction is taken orally to the applied on cuts & wounds. Chakmas Pavetta indica L. R are used to treat dropsy, jaundice & housed to treat hemorrhoids. Fr is used as Passiflora nepalensis Walp. R are boiled & the water is taken to treat Pentapetes phoenicea L. L are boiled & the water is taken to treat Phyllanthus airy-shawii Brunel & J.P. Roux L juice is applied externally on measles	Apocynaceae ent placental disorder Fabaceae reat diarrhoea & dyse use a hot infusion of Rubiaceae neadaches, & are use an antihelminthic. Passifloraceae at malaria. Malvaceae t inflamed glands, co Phyllanthaceae neadaches, & are use an antihelminthic. Passifloraceae at malaria. All vaceae t inflamed glands, co Phyllanthaceae entery. A L decoction	Theikelkibawr s. Zawngtah entery. Green Fr exoca scraped pods to treat of Pavet-var ed as a diuretic & tonic. Nauawimu Parsenbial ugh & colds. L juice is Mawsai amed glands. A L infus Sunhlu is used as a gargle for	Climber Tree rps (pods) are diarrhoea & dys Hairy shrub R & L are use Climber Herb applied on inflate Shrub Tree	LR ground into sentery. LR d to treat b LR EN/VU amed gland EN/VU ally for dip	R B,Br,Fr D a paste Fr,L,R Doils. L ar R L ds. L htheria. WP

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
50 ml of WP infusion is taken twice dail used to treat bronchitis, leprosy, anaem	-	•	liver problem	s & jaundic	e. Fr is
Phlogacanthus thyrsiformis (Roxb. ex A Hardw.) Mabb.	canthaceae	Khumtiangkohha	Shrub	LR	R
R are used to treat ulcers in combination	n with other plants.				
Picrasma javanica Blume	Simaroubaceae	Thing damdawi	Tree	LR	В
25 ml of a R decoction is taken internal daily to treat diabetes & hypertension.	ly twice daily for feve	r & malaria. 50 ml of a	B decoction is	taken 2-3	times
Piper betle L.	Piperaceae	Pandawng	Climber	LR	L,R
L are used as a carminative & stimulant is used to treat spasms & infections such				k night blind	lness. Oi
Piper diffusum Vahl.	Piperaceae	Pawhrual	Climber	LR	L
L are used to treat stomach ache.					
Pithecellobium monadelphum Kosterm.	Fabaceae	Ardahte	Tree	LR	L,S
L are used to treat leprosy & to promote	e hair growth. S are u	sed to treat diabetes.			
Plantago erosa Wall. ex Roxb.	Plantaginaceae	Kelba-an	Herb	LR	L,WP
The L & WP are crushed with those of puice is taken orally three times daily for	_	• • •	uchHam. ex	D. Don) DC	. & the
Plumeria acuminata W.T. Aiton	Apocynaceae	Vaingai	Tree	LR	B,La,R
R & B are used to treat gonorrhoea & h used as a rubefacient & to treat rheuma	•	0 0	treat dropsy &	diarrhoea.	La is
Podocarpus neriifolius D. Don	Podocarpaceae	Thlang-far	Tree	VU	L
L are boiled in water that is then used for	or bathing. A B decod	ction is applied with cot	ton on herpes		
Polygonum barbatum L.	Polygonaceae	Anbawng	Herb	LR	S
S are taken to treat colic & infections.					
Polygonum chinense L.	Polygonaceae	Taham	Herb	DD	L,R
R are used as an astringent. L are used emetic.	I to treat fly-infected v	wounds on goats. S are	e used as a to	nic, purgati	ve, &
Pothos cathcartii Schott	Araceae	Lehpong	Epiphyte	LR	St
St are used in to treat bone fractures.					
Pothos scandens L.	Araceae	Leh-pong	Climber	LR	L,St
L & St are used to treat bone fractures.					
Pottsia laxiflora (Blume) Kuntze	Apocynaceae	Ludi-rani-tak	Climber	LR	L,R
R & L infusions are taken to treat snake	bites.				
Pratia begonifolia (Wall.) Lindl.	Campanulaceae	Choak-thi	Herb	LR	L
Crushed L juice is taken to treat dysent	ery & vomiting.				
Pseudodrynaria coronans (Wall. ex Mett.) Ching	Polypodiaceae	Awmvel	Epiphyte	LR	Rh
Rh are used to treat stomach & tooth pr	oblems.				
Pteridium aquilinum (L.) Kuhn	Dennstaetiaceae	Katchat	Herb	LR	Rh
A Rh decoction is given for chronic disc	orders				

Scientific name	Family	Local name	Habit	Status	Part Used
Mode of Utilization/Uses					
Pterospermum acerifolium Willd.	Malvaceae	Siksil (Kanak champa)	Exotic tree	LR	B,F,L
B is used to treat headaches. F are used L hairs are used to stop bleeding.	d as a tonic & to trea	t inflammation, stomac	ch ache, tumors	s, leprosy, a	& ulcers.
Quercus leucotrichophora A. Camus	Fagaceae	Then/Phen	Tree	LR	R
R is used as a diuretic & astringent, & to	treat gonorrhea, dia	rrhoea, & asthma.			
Rauvolfia serpentina (L.) Benth. ex Kurz	Apocynaceae	Rullturzung	Herb	EN, VU. C	R
R are used to treat hypertension & stom	ach problems.				
Rhus acuminata DC.	Anacardiaceae	Chhimhruk	Herb	LR	Fr,L
L are used to treat nausea. Fr are used	to treat colic. L are u	sed to treat excrescen	ces & diarrhoe	a.	
Rhaphidophora decursiva (Roxb.) Schott	Araceae	Makhal	Epiphyte	LR	L,St
Crushed L & St paste is used to treat bo	ne fractures.				
Rhaphidophora hookeri Schott.	Araceae	Thiallawn	Climber	NT	L,St
L & St are used to ease the process of la	abor. L are used to tr	eat malaria.			
Ricinus communis L.	Euphorbiaceae	Mutih	Shrub or small tree	NT	L,St
Heated young L are used to treat ulcers problems.	, sciatica & paralysis	. Crushed L are applie	d as bandage t	o treat urir	nary
Rubia cordifolia L.	Rubiaceae	Rawngsen	Climber/	EN/VU	Root
			creeping herb		
Boiled R are taken orally for kidney prob	olem & liver ailments.	R are used to treat go	herb	nilis & rena	ıl infectior
· · · · · · · · · · · · · · · · · · ·	olem & liver ailments. Acanthaceae	R are used to treat go	herb	nilis & rena	I infection
Ruellia suffruticosus Roxb.	Acanthaceae	Savangama	herb onorrhoea, syph Herb		
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor	Acanthaceae	Savangama	herb onorrhoea, syph Herb		
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb.	Acanthaceae norrhoea, syphilis & d	Savangama other venereal disease	herb norrhoea, syph Herb s.	CR/VU	WP
Boiled R are taken orally for kidney prob Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn.	Acanthaceae norrhoea, syphilis & d	Savangama other venereal disease	herb norrhoea, syph Herb s.	CR/VU	WP
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & v	Acanthaceae norrhoea, syphilis & d Salicaceae Sapindaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi	herb pnorrhoea, syph Herb s. Tree	CR/VU LR LR	WP B Fr,S
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries.	Acanthaceae norrhoea, syphilis & d Salicaceae Sapindaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi	herb pnorrhoea, syph Herb s. Tree	CR/VU LR LR	WP B Fr,S
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to	herb pnorrhoea, syph Herb s. Tree Tree to treat epilepsy	LR LR y & chloros	WP B Fr,S sis. S are
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde B is used for uterine inflation, as an astr	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to	herb pnorrhoea, syph Herb s. Tree Tree to treat epilepsy	LR LR y & chloros	WP B Fr,S sis. S are B
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde B is used for uterine inflation, as an astr Schima wallichii (DC.) Korth. A Fr decoction is used for snake & insections.	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae ingent, & in treatmen Theaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to the same of the same	herb pnorrhoea, syph Herb s. Tree Tree to treat epilepsy Tree rpion stings. Tree	LR LR y & chloros EN/VU LR	WP B Fr,S sis. S are B B,Fr,L
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde B is used for uterine inflation, as an astr Schima wallichii (DC.) Korth. A Fr decoction is used for snake & insectare used as a carminative.	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae ingent, & in treatmen Theaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to the same of the same	herb pnorrhoea, syph Herb s. Tree Tree to treat epilepsy Tree rpion stings. Tree	LR LR y & chloros EN/VU LR	WP B Fr,S sis. S are B B,Fr,L
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde B is used for uterine inflation, as an astr Schima wallichii (DC.) Korth. A Fr decoction is used for snake & insectare used as a carminative. Scoparia dulcis L.	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae ingent, & in treatmen Theaceae ct bites. B is used as Plantaginaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to the salivation of gonorrhoea & scott salivation of	herb pnorrhoea, syph Herb s. Tree to treat epilepsy Tree rpion stings. Tree ninthic, & to tre	LR LR y & chloros EN/VU LR at gonorrh	WP B Fr,S sis. S are B B,Fr,L oea. L
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae ingent, & in treatmen Theaceae ct bites. B is used as Plantaginaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to the salivation of gonorrhoea & scott salivation of	herb pnorrhoea, syph Herb s. Tree to treat epilepsy Tree rpion stings. Tree ninthic, & to tre	LR LR y & chloros EN/VU LR at gonorrh	WP B Fr,S sis. S are B B,Fr,L oea. L
Ruellia suffruticosus Roxb. WP are used to treat renal infection, gor Salix tetrasperma Roxb. B is used as a febrifuge. Sapindus mukorossi Gaertn. Fr is used as an emetic, expectorant & vused to treat fevers & dental caries. Saraca asoca (Roxb.) De Wilde B is used for uterine inflation, as an astrest Schima wallichii (DC.) Korth. A Fr decoction is used for snake & insect are used as a carminative. Scoparia dulcis L. Crushed WP juice is taken to treat kidnet Securinega virosa (Roxb. ex Willd.)	Acanthaceae norrhoea, syphilis & c Salicaceae Sapindaceae when there is excess Fabaceae ingent, & in treatmen Theaceae et bites. B is used as Plantaginaceae ey stones, jaundice & Euphorbiaceae	Savangama other venereal disease Tuipuisuthlah Hlingsi salivation. Fr is used to the salivation of generation of	herb pnorrhoea, syph Herb s. Tree to treat epilepsy Tree rpion stings. Tree hinthic, & to tre Herb ms.	LR LR y & chloros EN/VU LR at gonorrh	WP B Fr,S sis. S are B B,Fr,L oea. L WP

Scientific name	Family	Local name	Habit	Status	Part Used			
Mode of Utilization/Uses								
Fr(nut) juice is applied externally to treat sprains & rheumatism.								
Senecio sc&ens BuchHam. ex D. Don	Asteraceae	Sai-ek-hlo	Climber	CR	A,L			
Boiled A & L are used to treat cancer &	ulcers.							
Sida acuta Burm.f.	Malvaceae	Khingkhih	Shrub	LR	R			
Crushed R are applied on boils to draw	out pus. R are used	to treat nervous, urinar	y, stomach, &	gastric disc	eases.			
Smilax glabra Roxb.	Smilacaceae	Tluang-ngil	Climber	LR	R			
R are used to treat uterine & stomach in	nfections.							
Smilax parvifolia Wall. ex Hook. f.	Smilacaceae	Kaiha	Climber	LR	R			
Ground R with old molasses or coagula	ated cows milk is mixe	ed with water & taken o	rally as a bloo	d purifier.				
Solanum khasianum C.B. Clarke var. S chatterjeeanum Sengupta	planaceae	Athlo	Shrub	VU	Fr,S			
Fr & S are used to treat dental problem	s ("expel tooth worms	from the mouth").						
Solanum nigrum L.	Solanaceae	Anhling	Herb	LR	WP			
A WP infusion is used to treat liver prob	olems & dropsy.							
Solanum torvum Sw.	Solanaceae	Tawkpui	Shrub	LR	S			
Crushed S are applied to treat a tootha	che & tooth decay.	,						
Sonchus wightianus DC.	Asteraceae	Gangmula	Herb	LR	R			
R are used as a cardiac tonic.								
Spondias pinnata (L.f.) Kurz	Anacardiaceae	Tawitaw	Tree	LR	В			
B is used as a refrigerant & to treat dysentery. B mixed with water is used to treat auricular & muscular rheumatism.								
Stemona tuberosa Lour.	Stemonaceae	Kaimam	Climber	EN	R			
10 ml of a R infusion is taken internally	twice daily for tuberc	ulosis & fever.						
Stephania japonica (Thunb.) Miers var. discolor (Blume) Forman	Menispermaceae	Hruifei	Climber	VU	R			
A R infusion is taken orally to treat diar	hoea, fever & dysper	osia.						
Sterculia urens Roxb.	Malvaceae	Pangkhau	Tree	LR	G,L,R			
G is used to treat throat infections. L & tender branches are used to treat pleuropneumonia in cattle, & to treat dysentery & piles.								
Stereospermum colais (BuchHam. ex Dillwyn) Mabb.	Bignoniaceae	Zihngal	Tree	LR	L			
A L decoction is used as a febrifuge. L	juice is applied to reli	eve itching.						
Stereospermum neuranthum Kurz	Bignoniaceae	Zihaw	Tree	LR	W			
W is used to treat chronic ulcers.								
Styrax serrulata F.B. Forbes & Hemsl.	Styracaceae	Hmarhleng	Shrub	LR	Resin			
Resin is used as an antiseptic, stimulant & expectorant.								
<i>Swertia angustifolia</i> BuchHam. ex D. Don	Gentianaceae	Khawsik damdawl	Herb	LR	WP/ stem B			
A WP infusion is used to treat malarial fever.								
Syzygium cerasoides (Roxb.) Raizada	Myrtaceae	Lenhmui	Tree	LR	Fr,L,R			

Scientific name	Family	Local name	Habit	Status	Part Used			
Mode of Utilization/Uses								
Fr is used to treat rheumatism. L are used as compresses. R are used as a rubefacient.								
Syzygium cumini (L.) Skeels	Myrtaceae	Lenhmui	Tree	LR	B,Fr,L			
B is used as an astringent. Fr is used to treat diabetes. B & L are used to treat d		& is used as a carmina	ative & diuretic.	B & S are	used to			
Tabernaemontana divaricata (L.) R. Br. ex Roem. & Schult.	Apocynaceae	Pararsi	Shrub	LR	R, Sa			
R are chewed for the relief of tooth-ach with oil is rubbed on the forehead to tre			daily on mouth	ulcers. Sa	n mixed			
Taraktogenos kurzii King	Achariaceae	Khawitur	Tree	NT	S			
S oil is applied for treatment of leprosy	& skin diseases.							
Tarenna odorata (Roxb.) B.L. Rob.	Rubiaceae	Khalagor song	Shrub	LR	R			
R paste is applied on snake bites.								
Terminalia bellirica (Gaertn.) Roxb.	Combretaceae	Thingv&awt	Tree	LR	B,Fr			
Fr is taken for treatment of stomach problems, piles, sore throat & diseases of the eye & nose. Fr is used to treat dropsy, leprosy, inflammation, diarrhea, asthma, headaches, & is a taken as a tonic for bronchitis. Fr (kernel) is used as a narcotic & aphrodisiac. B is used as a diuretic & to treat anaemia & leucoderma.								
Terminalia chebula Retz.	Combretaceae	Reraw	Tree	VU	B,Fr			
Fr is used to treat stomach problems, fevers, asthma, dysentery, piles, colds, sore throats, dental caries, bleeding & ulcerated gums, opthamia, & is used as a purgative & antiparalytic. Fr is also thought to enrich the blood. B is used as a diuretic & cardiotonic.								
Tetracera sarmentosa (L.) Vahl	Dilleniaceae	Hruithingdeng	Tree	LR	В			
A B decoction is taken orally to treat sto	mach ache.							
Tetrameles nudiflora R.Br.	Tetramelaceae	Thingdawl	Tree	LR	B,L			
B & L juice is dropped into ear to treat e	ear infection.							
Thunbergia gr&iflora Roxb.	Acanthaceae	Zawngafian	Climber	NT	L			
L juice is used to treat diabetes, eye dis	eases & as an antise	eptic for treatment of cu	uts & wounds.					
Tinospora cordifolia (Willd.) Miers	Menispermaceae	Theisawntlung	Shrub/ climber	CR/VU	Fr,R,St			
St are used to treat skin diseases, stomach ache, spasms, inflammation, diabetes, diuretic, piles, anemia, & as an emetic, aphrodisiac, & antiperiodic. R are used as an emetic and to treat leprosy. Fr is used as a tonic & to treat rheumatism. St & Fr are used to treat jaundice.								
Toona ciliata M. Roem.	Meliaceae	Teipui	Tree	LR	B&F			
B is used as an astringent & tonic, & to	treat dysentery & ulc	ers. F are used as an	emmenagogue					
Trapa natans L. var. bispinosa (Roxb.) Makino	Trapaceae	Singhara	Macro- phyte	CR/VU	Fr			
Fr is used as a nutritious food. An infus	ion of aerial parts is u	sed to treat diarrhoea						
Trema orientalis (L.) Blume	Cannabaceae	Belphuar	Tree	I/LR	B,L,R			
B, L & R are used to treat epilepsy. R a	re used to treat diarrh	noea. B is used to treat	t muscular pain					
Trevesia palmata (Roxb. ex Lindl.) Vis.	Araliaceae	Kawhtebel	Small tree	LR	L,R			
Crushed L juice is taken to treat colic, s	tomach ache & high	blood pressure.						
Uncaria sessilifructus Roxb.	Rubiaceae	Ralsamkuai- ziksen	Climber	LR	L&R			
Boiled young L are taken orally to treat	diphtheria. Water fro	m boiled R is taken to	treat excess ble	eding.				

Scientific name	Family	Local name	Habit	Status	Part Used				
Mode of Utilization/Uses									
Urena lobata L.	Malvaceae	Sehnap	Shrub	LR	L,R				
Crushed R mixed with water is taken as an aphrodisiac. L juice is used to treat rheumatism.									
Vernonia albicans DC.	Asteraceae	Dawn-do-u-pun	Herb	LR	L				
A warmed L infusion is dropped into ea	A warmed L infusion is dropped into ear to treat earache or ear infection.								
Vitex peduncularis Wall. ex Schauer in A. DC.	Lamiaceae	Thingkhawilu	Tree	LR	В				
Boiled B water is drunk to treat typhoid	& malarial fevers.								
Vitis bracteolata Wall.	Vitaceae	Hruiveikual	Climber	LR	R				
Crushed R are used to produce a mucous substance that is applied externally on swellings & sciatica.									
Woodfordia fruticosa (L.) Kurz	Lythraceae	Ainawn	Shrub	CR/VU	F				
Powdered F are used externally to treat sores & ulcers.									
<i>Xylia xylocarpa</i> Taub.	Fabaceae	Thinguk	Tree	LR	B,S				
A B decoction is used to treat ulcers, go used to treat leprosy.	A B decoction is used to treat ulcers, gonorrhoea & diarrhoea. S oil is used to treat rheumatism & piles. B & S oil are								
Zanonia indica L.	Cucurbitaceae	Lalruanga- dawibur	Climber	CR/EN	Fr,L				
L are used to treat inflammation & spasms. Fr is used as an expectorant, antiseptic & to treat cough & asthma. Wate from boiled ripened Fr is taken to treat stomach problems.									
Zanthoxylum armatum DC.	Rutaceae	Arhrikreh	Small tree	NT	Fr,L				
L are used to remove lice. Fr is used to promote appetite, treat headaches, asthma, leucoderma, piles, eye & ear diseases, & is used as an antihelminthic. F is used as an antidote for snake bite.									
Zingiber officinale Roscoe	Zingiberaceae	Sawhthing	Herb	NT/C	Fr,Rh				
Oil extract is used to treat cough & bronchitis. Rh is roasted & eaten to treat throat pain.									
Zingiber purpureum Roscoe	Zingiberaceae	Pale	Herb	NT/C	Rh				
Chakmas tribe use Rh to treat stomach	ache & diarrhoea.								
Ziziphus mauritiana Lam.	Rhamnaceae	Borai	Small tree	LR	R				
R decoction is used to treat fever.	R decoction is used to treat fever.								